



NAWaL Analytical Laboratories

Test Report

064431

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000011261F

Date: 06/06/2020


Sample ID No. : NAL/202006000011261
Discipline / Group : Biological / Miscellaneous
Name of the Customer : AKILESH
Address : Kempegowda International Airport Bengaluru.
Bengaluru
Sample Described by the Customer : POST - SWAB - DRY 2D STEP
Quantity of the Sample Received : 1 NO
Condition on Receipt : Fit for Analysis
Information about Sampling : Drawn by NAWaL Analytical Laboratories - Hosur.
Product Name : IcanNano hygienic coating
Location : BIAL
Customer Reference : By Letter Dated 02/06/2020
Date of Sample Receipt : 03/06/2020
Date of test Starting : 03/06/2020
Date of test Completed : 06/06/2020


S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULT
BIOLOGICAL PARAMETERS				
1	Aerobic Microbial Count	NAL/MBL/SOP/024	CFU/ml	<1
2	Coliform	NAL/MBL/SOP/024	CFU/ml	<1
3	Staphylococcus aureus	NAL/MBL/SOP/024	P/A/25^2	Absent
4	Escherichia coli	NAL/MBL/SOP/024	P/A/25^2	Absent
5	Salmonella	NAL/MBL/SOP/024	P/A/25^2	Absent
6	Pseudomonas aeruginosa	NAL/MBL/SOP/024	P/A/25^2	Absent
7	Faecal Streptococci	NAL/MBL/SOP/024	CFU/ml	<1
8	Shigella	NAL/MBL/SOP/024	P/A/25^2	Absent

Disclaimer.

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample.

For NAWaL Analytical Laboratories


Authorized Signatory
V. Rohini
Microbiologist



End of Report





NAWaL Analytical Laboratories

Test Report

064430

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000011260F

Date: 06/06/2020

Sample ID No. : NAL/202006000011260
Discipline / Group : Biological / Miscellaneous
Name of the Customer : AKILESH
Address : Kempegowda International Airport Bengaluru.
Bengaluru
Sample Described by the Customer : POST - SWAB - DRY 2C MEDICAL SOAP
Quantity of the Sample Received : 1 NO
Condition on Receipt : Fit for Analysis
Information about Sampling : Drawn by NAWaL Analytical Laboratories - Hosur.
Product Name : IcanNano hygienic coating
Location : BLAL
Customer Reference : By Letter Dated.02/06/2020
Date of Sample Receipt : 03/06/2020
Date of test Starting : 03/06/2020
Date of test Completed : 06/06/2020

S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULT
BIOLOGICAL PARAMETERS				
1	Aerobic Microbial Count	NAL/MBL/SOP/024	CFU/ml	90
2	Coliform	NAL/MBL/SOP/024	CFU/ml	<1
3	Staphylococcus aureus	NAL/MBL/SOP/024	P/A/25^2	Present
4	Escherichia coli	NAL/MBL/SOP/024	P/A/25^2	Absent
5	Salmonella	NAL/MBL/SOP/024	P/A/25^2	Absent
6	Pseudomonas aeruginosa	NAL/MBL/SOP/024	P/A/25^2	Absent
7	Faecal Streptococci	NAL/MBL/SOP/024	CFU/ml	<1
8	Shigella	NAL/MBL/SOP/024	P/A/25^2	Absent

Disclaimer.

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample.

For NAWaL Analytical Laboratories


Authorized Signatory
V. Rohini
Microbiologist



End of Report





NAWaL Analytical Laboratories

Test Report

064423

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000011259F

Date: 06/06/2020

Sample ID No. : NAL/202006000011259
Discipline / Group : Biological / Miscellaneous
Name of the Customer : AKILESH
Address : Kempegowda International Airport Bengaluru.
Bengaluru
Sample Described by the Customer : POST - SWAB - DRY 2B REST ROOM DOOR
Quantity of the Sample Received : 1 NO
Condition on Receipt : Fit for Analysis
Information about Sampling : Drawn by NAWaL Analytical Laboratories - Hosur.
Product Name : IcanNano hygienic coating
Location : BIAL
Customer Reference : By Letter Dated.02/06/2020
Date of Sample Receipt : 03/06/2020
Date of test Starting : 03/06/2020
Date of test Completed : 06/06/2020

S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULT
BIOLOGICAL PARAMETERS				
1	Aerobic Microbial Count	NAL/MBL/SOP/024	CFU/ml	<1
2	Coliform	NAL/MBL/SOP/024	CFU/ml	<1
3	Staphylococcus aureus	NAL/MBL/SOP/024	P / A/25cm ²	Absent
4	Escherichia coli	NAL/MBL/SOP/024	P / A/25cm ²	Absent
5	Salmonella	NAL/MBL/SOP/024	P / A/25cm ²	Absent
6	Pseudomonas aeruginosa	NAL/MBL/SOP/024	P / A/25cm ²	Absent
7	Faecal Streptococci	NAL/MBL/SOP/024	CFU/ml	<1
8	Shigella	NAL/MBL/SOP/024	P / A/25cm ²	Absent

Disclaimer:


This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample.

For NAWaL Analytical Laboratories

Authorized Signatory

V.Rohini

Microbiologist



End of Report





NAWaL Analytical Laboratories

Test Report

C64427

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000011258F

Date: 06/06/2020

Sample ID No. : NAL/202006000011258
Discipline / Group : Biological / Miscellaneous
Name of the Customer : AKILESH
Address : Kempegowda International Airport Bengaluru.
Bengaluru
Sample Described by the Customer : POST - SWAB-DRY 2A REST ROOM
Quantity of the Sample Received : 1 NO
Condition on Receipt : Fit for Analysis
Information about Sampling : Drawn by NAWaL Analytical Laboratories - Hosur.
Product Name : IcanNano hygienic coating
Location : BIAL
Customer Reference : By Letter Dated.02/06/2020
Date of Sample Receipt : 03/06/2020
Date of test Starting : 03/06/2020
Date of test Completed : 06/06/2020

S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULT
BIOLOGICAL PARAMETERS				
1	Aerobic Microbial Count	NAL/MBL/SOP/024	CFU/ml	60
2	Coliform	NAL/MBL/SOP/024	CFU/ml	<1
3	Staphylococcus aureus	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
4	Escherichia coli	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
5	Salmonella	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
6	Pseudomonas aeruginosa	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
7	Faecal Streptococci	NAL/MBL/SOP/024	CFU/ml	<1
8	Shigella	NAL/MBL/SOP/024	P/A/25 cm ²	Absent

Disclaimer.

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample.

For NAWaL Analytical Laboratories


Authorized Signatory

V Rohini
Microbiologist



End of Report





NAWaL Analytical Laboratories

Test Report

064600

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000011257F

Date: 06/06/2020

Sample ID No. : NAL/202006000011257
Discipline / Group : Biological / Miscellaneous
Name of the Customer : AKILESH
Address : Kempegowda International Airport Bengaluru.
Bengaluru
Sample Described by the Customer : PRE - SWAB - 1D STEP
Quantity of the Sample Received : 1 NO
Condition on Receipt : Fit for Analysis
Information about Sampling : Drawn by NAWaL Analytical Laboratories - Hosur.
Product Name : IcanNano hygienic coating
Location : BIAL
Customer Reference : By Letter Dated.02/06/2020
Date of Sample Receipt : 03/06/2020
Date of test Starting : 03/06/2020
Date of test Completed : 06/06/2020

S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULT
BIOLOGICAL PARAMETERS				
1	Aerobic Microbial Count	NAL/MBL/SOP/024	CFU/ml	<1
2	Coliform	NAL/MBL/SOP/024	CFU/ml	<1
3	Staphylococcus aureus	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
4	Escherichia coli	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
5	Salmonella	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
6	Pseudomonas aeruginosa	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
7	Faecal Streptococci	NAL/MBL/SOP/024	CFU/ml	<1
8	Shigella	NAL/MBL/SOP/024	P/A/25 cm ²	Absent

Disclaimer

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample.

For NAWaL Analytical Laboratories

Authorized Signatory

V. Rohini

Microbiologist



End of Report





NAWaL Analytical Laboratories

Test Report

064423

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO. TC583420000011256F

Date: 06/06/2020

Sample ID No. : NAL/202006000011256
Discipline / Group : Biological / Miscellaneous
Name of the Customer : AKILESH
Address : Kempegowda International Airport Bengaluru.
Bengaluru
Sample Described by the Customer : PRE - SWAB - 1C MEDICAL SOAP
Condition on Receipt : Fit for Analysis
Information about Sampling : Drawn by NAWaL Analytical Laboratories - Hosur.
Product Name : IcanNano hygienic coating
Location : BIAL
Customer Reference : By Letter Dated.02/06/2020
Date of Sample Receipt : 03/06/2020
Date of test Starting : 03/06/2020
Date of test Completed : 06/06/2020

S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULT
BIOLOGICAL PARAMETERS				
1	Aerobic Microbial Count	NAL/MBL/SOP/024	CFU/ml	1500
2	Coliform	NAL/MBL/SOP/024	CFU/ml	50
3	Staphylococcus aureus	NAL/MBL/SOP/024	P/A/25 cm ²	Present
4	Escherichia coli	NAL/MBL/SOP/024	P/A/25 cm ²	Present
5	Salmonella	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
6	Pseudomonas aeruginosa	NAL/MBL/SOP/024	P/A/25 cm ²	Present
7	Faecal Streptococci	NAL/MBL/SOP/024	CFU/ml	20
8	Shigella	NAL/MBL/SOP/024	P/A/25 cm ²	Absent


Disclaimer.

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample.

For NAWaL Analytical Laboratories

Authorized Signatory

V.Rohini
Microbiologist



End of Report





NAWaL Analytical Laboratories

Test Report

064426

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000011255F

Date: 06/06/2020

Sample ID No. : NAL/202006000011255
Discipline / Group : Biological / Miscellaneous
Name of the Customer : AKILESH
Address : Kempgowda International Airport Bengaluru.
Bengaluru
Sample Described by the Customer : PRE - 1B REST ROOM DOOR
Quantity of the Sample Received : 1 NO
Condition on Receipt : Fit for Analysis
Information about Sampling : Drawn by NAWaL Analytical Laboratories - Hosur.
Product Name : IcanNano hygienic coating
Location : BIAL
Customer Reference : By Letter Dated.02/06/2020
Date of Sample Receipt : 03/06/2020
Date of test Starting : 03/06/2020
Date of test Completed : 06/06/2020

S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULT
BIOLOGICAL PARAMETERS				
1	Aerobic Microbial Count	NAL/MBL/SOP/024	CFU/ml	5
2	Coliform	NAL/MBL/SOP/024	CFU/ml	<1
3	Staphylococcus aureus	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
4	Escherichia coli	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
5	Salmonella	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
6	Pseudomonas aeruginosa	NAL/MBL/SOP/024	P/A/25 cm ²	Absent
7	Faecal Streptococci	NAL/MBL/SOP/024	CFU/ml	<1
8	Shigella	NAL/MBL/SOP/024	P/A/25 cm ²	Absent

Disclaimer.

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample.

For NAWaL Analytical Laboratories

Authorized Signatory

V. Rohini

Microbiologist



End of Report





NAWaL Analytical Laboratories

Test Report

064598

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000011254F

Date: 06/06/2020

Sample ID No. : NAL/202006000011254
Discipline / Group : Biological / Miscellaneous
Name of the Customer : AKILESH
Address : Kempegowda International Airport Bengaluru.
Bengaluru
Sample Described by the Customer : PRE - SWAB - 1A REST ROOM
Quantity of the Sample Received : 1 NO
Condition on Receipt : Fit for Analysis
Information about Sampling : Drawn by NAWaL Analytical Laboratories - Hosur.
Product Name : IcanNano hygienic coating
Location : BIAL
Customer Reference : By Letter Dated.02/06/2020
Date of Sample Receipt : 03/06/2020
Date of test Starting : 03/06/2020
Date of test Completed : 06/06/2020

S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULT
BIOLOGICAL PARAMETERS				
1	Aerobic Microbial Count	NAL/MBL/SOP/024	CFU/ml	500
2	Coliform	NAL/MBL/SOP/024	CFU/ml	30
3	Staphylococcus aureus	NAL/MBL/SOP/024	Present or Absent/25	Absent
4	Escherichia coli	NAL/MBL/SOP/024	Present or Absent/25	Present
5	Salmonella	NAL/MBL/SOP/024	Present or Absent/25	Absent
6	Pseudomonas aeruginosa	NAL/MBL/SOP/024	Present or Absent/25	Absent
7	Faecal Streptococci	NAL/MBL/SOP/024	CFU/ml	10
8	Shigella	NAL/MBL/SOP/024	Present or Absent/25	Absent

Disclaimer.

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample.

For NAWaL Analytical Laboratories

Authorized Signatory

V. Rohini

Microbiologist



End of Report

